

Notice of Allowability

Application No.

10/608,929

Examiner

Paul A. Chenevert

Applicant(s)

MCNALLY, ERIC CHRISTOPHER

Art Unit

3612

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the Oath filed 06NOV03.
2. ☒ The allowed claim(s) is/are 1-26.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
2. Authorization for this examiner's amendment was given in a telephone interview with Alison J. Baldwin on 25MAR04.
3. The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).

Misnumbered claims 6-27 been renumbered 5-26. The application has been amended as follows:

Page 8:

Line 18, --coated-- has been inserted after "Galva Neal".

Page 9:

Line 2, --coated-- has been inserted after "Galva Neal",

Line 5, --76-- has been deleted,

Lines 12 & 13, "74" has been changed to --78--.

Page 11:

Lines 10 & 11, "20" has been changed to --22--.

Art Unit: 3612

Page 18 (Abstract):

Line 1, "The present invention concerns a" has been changed to --A--.

Claim 6:

Line 2, --second-- has been inserted before "female hinge".

Claim 8:

Line 1, --second-- has been inserted before "female hinge".

Claim 19:

Line 2, --second-- has been inserted before "female hinge".

Claim 21:

Line 1, --second-- has been inserted before "female hinge".

5. The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

- a. Formal drawings must be submitted.
- b. Pin (80) should be added in Figure 2A.
- c. Reference number 32''' should be added to Figure 3 at the lower left corner.
- d. Reference number 36 should be changed to 35 in Figure 3A.

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

6. The following is an examiner's statement of reasons for allowance: the prior art does not show or make obvious Applicant's tilt out truck bed door employing three female hinges, one male hinge, and a slide out pin.

Art Unit: 3612

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul A. Chenevert whose telephone number is 703-305-0837. The examiner can normally be reached on Mon-Fri (8:30-5:00).


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn D. Dayoan can be reached on 703-308-3102. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Paul A. Chenevert
Examiner
Art Unit 3612

PAC

PAC
25MAR04


D. GLENN DAYOAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600

3/31/04